

Picasso Gallery Canvas Solvent 370

■ satin 3609 - 370 g/m²

Satin coated artist canvas with a 1:1 weave for high quality graphic art applications. Due to the special coating, this premium canvas is suitable for heavy ink loads and uniform prints, also in critical dark tones. The drying time is excellent with optimised ink fixation. The coated surface is water-repellent and offers excellent light-stability.

Applications

- High quality photo reproduction
- Indoor adverts
- Framed art

Advantages

- Satin, water-resistant surface
- Compared to uncoated canvas, the special solvent coating allows quicker drying, homogeneous colours and better colour brilliance
- Flexible finishing for ideal performance during stretching process

Physical Properties

Weight (Total) [gsm]	370	ISO 536
Thickness (total) [microns]	420 (16.5 mil)	ISO 534
Weave structure	1:1	

Recommended use and storage

The converting and storage should take place in a climate of 35 to 65% relative humidity at temperatures between 10 and 30°C. Due to the natural components of the material it tends to curl when relative humidity is fairly high, which can cause print head damage. We recommend that the material is first removed from original packaging when printing commences!. After the printing process put the media back in its original packaging. Cotton gloves are always recommended when handling InkJet coated materials to avoid fingerprints.

Picasso Gallery Canvas Solvent 370

■ satin 3609 - 370 g/m²

List of Printers

Printer	Ink	Quality
Hewlett Packard DJ 8000S / 9000S / 10000S	Inkjet mit Eco Solvent	Excellent
Hewlett Packard DJ L65500 Latex ink	Inkjet mit IR- / Latex Tinte	Good
Hewlett Packard DJ L25500 / 26500 / 28500 - Latex 260 / 280	Inkjet mit IR- / Latex Tinte	Excellent
Hewlett Packard Scitex LX 600	Inkjet mit IR- / Latex Tinte	Good
Hewlett Packard Scitex LX 800 / LX 820 / LX 850	Inkjet mit IR- / Latex Tinte	Good
ColorSpan DisplayMaker 72S	Inkjet mit Eco Solvent	Excellent
ColorSpan Display Maker 72 UVR	Inkjet mit UV-härtender Tinte	Good
Epson Stylus Pro GS6000 UltraChrome GS	Inkjet mit Eco Solvent	Excellent
Epson SureColor SC-30600 / 50600 / 70600	Inkjet mit Eco Solvent	Good
Roland SolJet SJ540 / SC540 SJ 740 / SC740	Inkjet mit Eco Solvent	Excellent
Roland SC-500 Permasol S	Inkjet mit Lösemitteltinte	Excellent
Roland VersaCAMM SP-300i / SP-540i	Inkjet mit Eco Solvent	Excellent
Roland VS 540 / VS 640	Inkjet mit Eco Solvent	Excellent
Roland SolJET PRO4 XR-640	Inkjet mit Lösemitteltinte	Excellent
Mimaki JV-3 160S, 250	Inkjet mit Lösemitteltinte	Excellent
Mimaki JV 5-130 / -160 / -260 / -320	Inkjet mit Eco Solvent	Excellent
Mimaki CJV 30	Inkjet mit Eco Solvent	Excellent
Mimaki JV 400 -130LX / -160LX	Inkjet mit IR- / Latex Tinte	Good
Mutoh Rockhopper 46", 62"	Inkjet mit Eco Solvent	Good
Mutoh Rockhopper II 50", 64", 87"	Inkjet mit Eco Solvent	Good
Mutoh Valuejet 1204 / 1304 / 1324 / 1614 / 1624 / 1638	Inkjet mit Eco Solvent	Good
Océ CS6060	Inkjet mit Eco Solvent	Excellent
Océ CS9360 / CS935	Inkjet mit Eco Solvent	Excellent
Seiko SII Colorpainter 64S / 100S / W-54s/W-64s / H2-74s/H2-104s	Inkjet mit Eco Solvent	Excellent
Zünd UVjet 215 C	Inkjet mit UV-härtender Tinte	Good

Last update: 10/09/2014

The values provided on this datasheet are only for orientation.

Before using our media please check its compatibility for your printer and intended application. Technical specifications are subject to change, therefore we do not take responsibility for any misprints resulting from technically modified inks and/ or printers. 4/06/2012